NYS Immunization Requirements for School Entrance/Attendance

	Pre-Kindergarten *	School
	(Daycare, Nursery, or Pre K)	(K-12)
Diphtheria Toxoid Containing Vaccine (DTP, DTaP) ** Tetanus, Diphtheria and Pertussis Booster (Tdap)	3 doses (New York City Schools - 4 doses) Not Applicable	3 doses (New York City Schools - 4 doses) Born on or after 1/1/94 1 dose
Polio (OPV) or (IPV)	3 OPV or 3 EIPV	3 OPV or 3 EIPV
Measles Mumps Rubella (MMR)	l dose of Measles Mumps Rubella (MMR)	2 doses of measles containing vaccine and 1 dose each of mumps and rubella (preferably as MMR)
Hepatitis B ***	3 doses	3 doses Grades K-12
Haemophilus Influenzae Type b (Hib)	3 doses if less than 15 months or 1 dose administered on or after 15 months of age	Not Applicable
Varicella Pneumococcal Conjugate Vaccine(PCV)	Born on or after 01/01/2000 1 dose Born on or after 1/1/08 4 doses by 15 months	Born on or after 01/01/94 and entering 6-12 grade 1 dose Not Applicable

^{*} Children in a Pre-Kindergarten setting need to be age appropriately immunized. The number of doses depends on the recommended schedule.

All questions regarding immunizations or required physicals should be directed to the school nurse. - Elementary: 374-7957, High School: 374-7914

^{****} Varicella is not recommended until 1 year of age